

Compliant Vision Camera Partners :



| Camera model | Resolution (H x V pixels) | Frame Rate |
|-----------------|---------------------------|------------|
| acA1280-60gc | 1280 x 1024 | 60 fps |
| acA1280-60gm | 1282 x 1026 | 60 fps |
| acA1300-22gc | 1294 x 964 | 22 fps |
| acA1300-22gm | 1296 x 966 | 22 fps |
| acA1300-30gc | 1294 x 964 | 30 fps |
| acA1300-30gm | 1296 x 966 | 30 fps |
| acA1300-60gc | 1280 x 1024 | 60 fps |
| acA1300-60gm | 1282 x 1026 | 60 fps |
| acA1300-60gmNIR | 1280 x 1024 | 60 fps |
| acA1300-75gc | 1280 x 1024 | 75 fps |
| acA1300-75gm | 1280 x 1024 | 75 fps |
| acA1300-75gmNIR | 1280 x 1024 | 75 fps |
| acA1600-20gc | 1624 x 1234 | 20 fps |
| acA1600-20gm | 1626 x 1236 | 20 fps |
| acA1600-60gc | 1600 x 1200 | 60 fps |
| acA1600-60gm | 1602 x 1202 | 60 fps |
| acA1920-25gc | 1920 x 1080 | 25 fps |

| Camera model | Resolution (H x V pixels) | Frame Rate |
|-----------------|---------------------------|------------|
| acA1920-25gm | 1920 x 1080 | 25 fps |
| acA1920-48gc | 1920 x 1200 | 50 fps |
| acA1920-48gm | 1920 x 1200 | 50 fps |
| acA1920-48gmNIR | 1920 x 1200 | 50 fps |
| acA1920-50gc | 1920 x 1200 | 50 fps |
| acA1920-50gm | 1936 x 1216 | 50 fps |
| acA2000-50gc | 2046 x 1086 | 50 fps |
| acA2000-50gm | 2048 x 1088 | 50 fps |
| acA2000-50gmNIR | 2048 x 1088 | 50 fps |
| acA2040-25gc | 2046 x 2046 | 25 fps |
| acA2040-25gm | 2048 x 2048 | 25 fps |
| acA2040-25gmNIR | 2048 x 2048 | 25 fps |
| acA2500-14gc | 2590 x 1942 | 14 fps |
| acA2500-14gm | 2592 x 1944 | 14 fps |
| acA2500-20gc | 2590 x 2048 | 20 fps |
| acA2500-20gm | 2590 x 2048 | 20 fps |
| acA2500-20gmNIR | 2590 x 2048 | 20 fps |

| Camera model | Resolution (H x V pixels) | Frame Rate |
|--------------|---------------------------|------------|
| acA3800-10gc | 3856 x 2764 | 10 fps |
| acA3800-10gm | 3856 x 2764 | 10 fps |
| acA4600-7gc | 4608 x 3288 | 7 fps |
| acA640-120gc | 658 x 492 | 120 fps |
| acA640-120gm | 659 x 494 | 120 fps |
| acA640-300gc | 640 x 480 | 300 fps |
| acA640-300gm | 640 x 480 | 300 fps |
| acA640-90gc | 658 x 492 | 90 fps |
| acA640-90gm | 659 x 494 | 90 fps |
| acA645-100gc | 658 x 492 | 100 fps |
| acA645-100gm | 659 x 494 | 100 fps |
| acA750-30gc | 748 x 576 | 30 fps |
| acA750-30gm | 752 x 580 | 30 fps |
| acA780-75gc | 780 x 580 | 75 fps |
| acA780-75gm | 782 x 582 | 75 fps |
| acA800-200gc | 800 x 600 | 200 fps |
| acA800-200gm | 800 x 600 | 200 fps |

The updated information can refer to
<http://www.baslerweb.com/en/products/area-scan-cameras/ace>

Compliant Vision Camera Partners :



| Camera model | Resolution (H x V pixels) | Frame Rate |
|-----------------|---------------------------|------------|
| GS3-PGE-23S6C-C | 1920 x 1200 | 45 |
| GS3-PGE-23S6M-C | 1920 x 1200 | 45 |
| GS3-PGE-50S5C-C | 2448 x 2048 | 15 |
| GS3-PGE-50S5M-C | 2448 x 2048 | 15 |
| GS3-PGE-60S6C-C | 2736 x 2192 | 13 |
| GS3-PGE-60S6M-C | 2736 x 2192 | 13 |
| GS3-PGE-91S6C-C | 3376 x 2704 | 9 |
| GS3-PGE-91S6M-C | 3376 x 2704 | 9 |

The updated information can refer to :

<http://www.ptgrey.com/gige-vision-cameras>

Compliant Vision Camera Partners :



TOSHIBA TELI CORPORATION

| Camera model | Resolution (H x V pixels) | Frame Rate |
|------------------|---------------------------|------------|
| BG030 | 640 x 480 | 125fps |
| BG031 | 640 x 480 | 125fps |
| BG080 | 1024 x 768 | 40fps |
| BG130 | 1280 x 960 | 30fps |
| BG202 | 1600 x 1200 | 20fps |
| BG205M-CS | 2048 x 1088 | 50fps |
| BG030C/CF | 640 x 480 | 125fps |
| BG130C/CF | 1280 x 960 | 30fps |
| BG202C/CF | 1600 x 1200 | 20fps |
| BG205M-CS/MCF-CS | 2048 x 1088 | 50fps |

The updated information can refer to
http://www.toshiba-teli.co.jp/products/industrial/usb/index_j.htm