



Compliant Vision Camera Partners :



Camera model	Resolution (H x V pixels)	Frame Rate
acA640-850uc	640 x 480	850 fps
acA640-850um	640 x 480	850 fps
acA640-90uc	658 x 492	90 fps
acA645-100uc	658 x 492	100 fps
acA640-120uc	658 x 492	120 fps
acA640-90um	659 x 494	90 fps
acA645-100um	659 x 494	100 fps
acA640-120um	659 x 494	120 fps
acA800-560uc	800 x 600	560 fps
acA800-560um	800 x 600	560 fps
acA1300-210uc	1280 x 1024	210 fps
acA1300-210um	1280 x 1024	210 fps
acA1300-210umNIR	1280 x 1024	210 fps
acA1300-30uc	1294 x 964	30 fps
acA1300-30um	1296 x 966	30 fps
acA1600-20uc	1624 x 1234	20 fps
acA1600-20um	1628 x 1236	20 fps

Camera model	Resolution (H x V pixels)	Frame Rate
acA1920-25uc	1920 x 1080	25 fps
acA1920-25um	1920 x 1080	25 fps
acA1920-40uc	1920 x 1200	40 fps
acA1920-40um	1920 x 1200	40 fps
acA1920-150uc	1920 x 1200	150 fps
acA1920-150um	1920 x 1200	150 fps
acA1920-150umNIR	1920 x 1200	150 fps
acA1920-155uc	1920 x 1200	155 fps
acA1920-155um	1920 x 1200	155 fps
acA2040-90uc	2048 x 2048	90 fps
acA2040-90um	2048 x 2048	90 fps
acA2040-90umNIR	2048 x 2048	90 fps
acA2000-165uc	2048 x 1088	165 fps
acA2000-165um	2048 x 1088	165 fps
acA2000-165umNIR	2048 x 1088	165 fps
acA2500-14uc	2590 x 1942	14 fps
acA2500-60uc	2590 x 2048	60 fps

Camera model	Resolution (H x V pixels)	Frame Rate
acA2500-60um	2590 x 2048	60 fps
acA2500-60umNIR	2590 x 2048	60 fps
acA2500-14um	2592 x 1944	14 fps
acA3800-14uc	3856 x 2764	14 fps
acA3800-14um	3856 x 2764	14 fps
acA4600-10uc	4608 x 3288	10 fps

The updated information can refer to

<http://www.baslerweb.com/en/products/area-scan-cameras/ace>



Compliant Vision Camera Partners :



Camera model	Resolution (H x V pixels)	Frame Rate
GS3-U3-14S5C-C	1384 x 1036	30
GS3-U3-14S5M-C	1384 x 1036	30
GS3-U3-15S5C-C	1384 x 1032	45
GS3-U3-15S5M-C	1384 x 1032	45
GS3-U3-23S6C-C	1920 x 1200	162
GS3-U3-23S6M-C	1920 x 1200	162
GS3-U3-28S4C-C	1928 x 1448	26
GS3-U3-28S4M-C	1928 x 1448	26
GS3-U3-28S5C-C	1920 x 1440	26
GS3-U3-28S5M-C	1920 x 1440	26
GS3-U3-41C6C-C	2048 x 2048	90
GS3-U3-41C6M-C	2048 x 2048	90
GS3-U3-41C6NIR-C	2048 x 2048	90
GS3-U3-41S4C-C	2016 x 2016	18
GS3-U3-41S4M-C	2016 x 2016	18
GS3-U3-50S5C-C	2448 x 2048	15
GS3-U3-50S5M-C	2448 x 2048	15

Camera model	Resolution (H x V pixels)	Frame Rate
GS3-U3-60QS6C-C	2736 x 2192	25
GS3-U3-60QS6M-C	2736 x 2192	25
GS3-U3-60S6C-C	2736 x 2192	13
GS3-U3-60S6M-C	2736 x 2192	13
GS3-U3-91S6C-C	3376 x 2704	9
GS3-U3-91S6M-C	3376 x 2704	9

The updated information can refer to :
<http://www.ptgrey.com/usb2-cameras>



Compliant Vision Camera Partners :

TOSHIBA TELI CORPORATION

Camera model	Resolution (H x V pixels)	Frame Rate
BU030	640 x 480	125fps
BU030C	640 x 480	125fps
BU030CF	640 x 480	125fps
BU031	640 x 480	125fps
BU080	1024 x 768	40fps
BU130	1280 x 960	30fps
BU130C	1280 x 960	30fps
BU130CF	1280 x 960	30fps
DU657M	2560 x 2560	55fps
DU657MC	2560 x 2560	55fps
BU132M	1280 x 1024	60fps
BU205M	2048 x 1088	170fps
BU238M	1920 x 1200	165fps
BU238MC	1920 x 1200	165fps
BU238MCF	1920 x 1200	165fps

Camera model	Resolution (H x V pixels)	Frame Rate
BU302MG	2048 x 1536	120fps
BU302MCG	2048 x 1536	120fps
BU302MCF	2048 x 1536	120fps
BU406M	2048 x 2048	90fps
BU406MC	2048 x 2048	90fps
BU406MCF	2048 x 2048	90fps
BU505MG	2448 x 2048	75fps
BU505MCG	2448 x 2048	75fps
BU505MCF	2448 x 2048	75fps
BU1203MC	4000 x 3000	30fps
BU1203MCF	4000 x 3000	30fps

The updated information can refer to
http://www.toshiba-teli.co.jp/products/industrial/usb/index_j.htm